

ORDER FOR SUPPLIES OR SERVICES										PAGE 1 OF 29	
1. CONTRACT PURCH ORDER/AGREEMENT NO. W56HZV-04-P-0276			2. DELIVERY ORDER/CALL NO.		3. DATE OF ORDER/CALL (YYYYMMDD) 2004JAN06		4. REQUISITION/PURCH REQUEST NO. SEE SCHEDULE		5. PRIORITY DOA4		
6. ISSUED BY TACOM WARREN BLDG 231 AMSTA-LC-CHAC ROBERT HUMANN (586)574-6440 WARREN, MICHIGAN 48397-5000 EMAIL: HUMANNB@TACOM.ARMY.MIL HTTP://CONTRACTING.TACOM.ARMY.MIL			CODE W56HZV		7. ADMINISTERED BY (If other than 6) DCMA INDIANAPOLIS EMMETT J. BEAN CENTER 8899 E. 56TH ST. INDIANAPOLIS, IN 46249-5701 SCD: C PAS: NONE ADP PT: HQ0337			CODE S1501A		8. DELIVERY FOB <input checked="" type="checkbox"/> DESTINATION <input type="checkbox"/> OTHER (See Schedule if other)	
9. CONTRACTOR AM GENERAL LLC 408 SOUTH BYRKIT STREET P O BOX 728 MISHAWAKA, IN. 46546-0728 NAME AND ADDRESS TYPE BUSINESS: Large Business Performing in U.S.			CODE 34623		FACILITY		10. DELIVER TO FOB POINT BY (Date) (YYYYMMDD) SEE SCHEDULE			11. X IF BUSINESS IS <input type="checkbox"/> SMALL <input type="checkbox"/> SMALL DISADVANTAGED <input type="checkbox"/> WOMAN-OWNED	
14. SHIP TO SEE SCHEDULE			CODE		15. PAYMENT WILL BE MADE BY DFAS - COLUMBUS CENTER DFAS-CO/NORTH ENTITLEMENT OPERATION P.O. BOX 182266 COLUMBUS OH 43218-2266			CODE HQ0337		MARK ALL PACKAGES AND PAPERS WITH IDENTIFICATION NUMBERS IN BLOCKS 1 AND 2	
16. TYPE OF ORDER		DELIVERY/ CALL		THIS DELIVERY ORDER IS ISSUED ON ANOTHER GOVERNMENT AGENCY OR IN ACCORDANCE WITH AND SUBJECT TO TERMS AND CONDITIONS OF ABOVE NUMBERED CONTRACT.							
PURCHASE		X		Reference your <input type="checkbox"/> Oral <input checked="" type="checkbox"/> Written Quotation 20026656, Dated 2003NOV21. CRYSTAL V. TABB-MACK furnish the following on terms specified herein.							
ACCEPTANCE. THE CONTRACTOR HEREBY ACCEPTS THE OFFER REPRESENTED BY THE NUMBERED PURCHASE ORDER AS IT MAY PREVIOUSLY HAVE BEEN OR IS NOW MODIFIED, SUBJECT TO ALL OF THE TERMS AND CONDITIONS SET FORTH, AND AGREES TO PERFORM THE SAME.											
<div style="display: flex; justify-content: space-between;"> <div>NAME OF CONTRACTOR</div> <div>SIGNATURE</div> <div>TYPED NAME AND TITLE</div> <div>DATE SIGNED (YYYYMMDD)</div> </div> <div style="margin-top: 10px;"> <input type="checkbox"/> If this box is marked, supplier must sign Acceptance and return the following number of copies: </div>											
17. ACCOUNTING AND APPROPRIATION DATA/LOCAL USE SEE SCHEDULE											
18. ITEM NO.		19. SCHEDULE OF SUPPLIES/SERVICE				20. QUANTITY ORDERED/ ACCEPTED*		21. UNIT	22. UNIT PRICE		23. AMOUNT
		SEE SCHEDULE CONTRACT TYPE: Firm-Fixed-Price KIND OF CONTRACT: Supply Contracts and Priced Orders									
* If quantity accepted by the Government is same as quantity ordered, indicate by X. If different, enter actual quantity accepted below quantity ordered and encircle.					24. UNITED STATES OF AMERICA MARIE T. GAPINSKI /SIGNED/ GAPINSKM@TACOM.ARMY.MIL (586)574-5333 BY: CONTRACTING/ORDERING OFFICER					25. TOTAL \$42,652.71	
27a. QUANTITY IN COLUMN 20 HAS BEEN <input type="checkbox"/> INSPECTED <input type="checkbox"/> RECEIVED <input type="checkbox"/> ACCEPTED, AND CONFORMS TO CONTRACT EXCEPT AS NOTED											
b. SIGNATURE OF AUTHORIZED GOVERNMENT REPRESENTATIVE						c. DATE (YYYYMMDD)		d. PRINTED NAME AND TITLE OF AUTHORIZED GOVERNMENT REPRESENTATIVE			
e. MAILING ADDRESS OF AUTHORIZED GOVERNMENT REPRESENTATIVE						28. SHIP. NO.		29. D.O. VOUCHER NO.		30. INITIALS	
f. TELEPHONE NUMBER		g. E-MAIL ADDRESS				31. PAYMENT <input type="checkbox"/> PARTIAL <input type="checkbox"/> FINAL		32. PAID BY		33. AMOUNT VERIFIED CORRECT FOR	
36. I CERTIFY THIS ACCOUNT IS CORRECT AND PROPER FOR PAYMENT.						31. PAYMENT <input type="checkbox"/> COMPLETE <input type="checkbox"/> PARTIAL <input type="checkbox"/> FINAL				34. CHECK NUMBER	
a. DATE (YYYYMMDD)		b. SIGNATURE AND TITLE OF CERTIFYING OFFICER								35. BILL OF LADING NO.	
37. RECEIVED AT		38. RECEIVED BY (Print)		39. DATE RECEIVED (YYYYMMDD)		40. TOTAL CONTAINERS		41. S/R ACCOUNT NUMBER		42. S/R VOUCHER NO.	

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0276 MOD/AMD	Page 2 of 29
Name of Offeror or Contractor: AM GENERAL LLC		

SUPPLEMENTAL INFORMATION

	<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
1	52.204-4016 (TACOM)	TACOM-WARREN ELECTRONIC CONTRACTING	JUL/2003

(a) TACOM is now operating in an electronic contracting environment. All TACOM solicitations and awards are now distributed on the TACOM Warren Business Opportunities web page (<http://contracting.tacom.army.mil/opportunity.htm>) and are no longer available in hard copy. The TDPs and other documents, when available electronically, will be an attachment or linked to the solicitation package on the web. Please see submission guidelines at <http://contracting.tacom.army.mil/userguide.htm> and <http://contracting.tacom.army.mil/ebidnotice.htm> for more information. Any requirements included in the solicitation take precedence over guidance found on the TACOM contracting web page.

(b) You may need to use special software to view documents that we post on the home page. This viewing software is freeware, available for download at no cost from commercial web sites like Microsoft and Adobe. In cases where such software is required, we provide a link from our page to the commercial site where the software is available. Once you arrive at the software developer's site, follow their instructions to download the free viewer. You then can return to the TACOM home page.

(c) You are required to submit your offer, bid, or quote electronically. See the provision entitled "Electronic Offers (or 'Quotes' or 'Bids') Required in Response to This Solicitation (or 'Request for Quotations')" for more specific information.

(d) Any award issued as a result of this solicitation will be distributed electronically. Awards posted on the TACOM Warren Business Opportunities web page represent complete OFFICIAL copies of contract awards and will include the awarded unit price. This is the notice required by Executive Order 12600 (June 23, 1987)of our intention to release unit prices in response to any request under the Freedom of Information Act (FOIA), 5 USC 552. Unit price is defined as the contract price per unit or item purchased as it appears in Section B of the contract and is NOT referring to nor does it include Cost or Pricing data/information. If you object to such release, and you intend on submitting an offer, notify the PCO in writing prior to the closing date identified in this solicitation and include the rationale for your objection consistent with the provisions of FOIA. A release determination will be made based on rationale given.

(e) If you have questions or need help in using the Acquisition Center Home Page, call our Electronic Contracting Help Desk at (586) 574-7059, or send an email message to: acqcenweb@tacom.army.mil

(f) If you have questions about the content of any specific item posted on our home page, please call the buyer or point of contact listed for the item. Additional help is available to small businesses from Government-funded Electronic Commerce Regional Centers (ECRCs) to implement EDI. Information on ECRC is available at <http://www.ecrc.ctc.com>

[End of Clause]

1. AM General part number 12339644-5G1 is valid. G1 of the part number validates the color of the part.

*** END OF NARRATIVE A 001 ***

Name of Offeror or Contractor: AM GENERAL LLC

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	SUPPLIES OR SERVICES AND PRICES/COSTS				
0001	NSN: 2510-01-345-4365 FSCM: 19207 PART NR: 12339644-5-G1 SECURITY CLASS: Unclassified				
0001AA	<u>PRODUCTION QUANTITY</u> NOUN: SHELL,CARGO,VEHICUL PRON: EH31E876EH PRON AMD: 01 ACRN: AA AMS CD: 060011 <u>Description/Specs./Work Statement</u> PROCUREMENT DOCUMENTATION TITLE: SEE TDP <u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: SEE CLAUSE 52.211-4515 UNIT PACK: 01 INTERMEDIATE PACK: EA LEVEL PRESERVATION: Military LEVEL PACKING: A ALL EXTERIOR PACKS AND CONTAINERS SHALL BE LEGIBLY AND DURABLY MARKED IN ACCORDANCE WITH MIL-STD-129, AND BAR CODE MARKINGS SHALL BE APPLIED IN ACCORDANCE WITH MIL-STD-129. (End of narrative D001) <u>Inspection and Acceptance</u> INSPECTION: Origin ACCEPTANCE: Origin <u>Deliveries or Performance</u> DOC SUPPL <u>REL CD</u> <u>MILSTRIP</u> <u>ADDR</u> <u>SIG CD</u> <u>MARK FOR</u> <u>TP CD</u> 001 W56HZV3246T900 W25G1U J 2 <u>DEL REL CD</u> <u>QUANTITY</u> <u>DAYS AFTER AWARD</u> 001 10 0240 FOB POINT: Destination SHIP TO: <u>FREIGHT ADDRESS</u> (W25G1U) XU TRANSPORTATION OFFICER DDSP NEW CUMBERLAND FACILITY BUILDING MISSION DOOR 113 134 NEW CUMBERLAND PA 17070-5001 <u>CONTRACT/DELIVERY ORDER NUMBER</u>	27	AY	\$ 1,579.73000	\$ 42,652.71

Name of Offeror or Contractor: AM GENERAL LLC

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT																																																
	<div>W56HZV-04-P-0276/0000</div> <div>DOC SUPPL</div> <table><tr><td>REL CD</td><td>MILSTRIP</td><td>ADDR</td><td>SIG CD</td><td>MARK FOR</td><td>TP CD</td></tr><tr><td>002</td><td>W56HZV3246T901</td><td>SW3227</td><td>J</td><td></td><td>2</td></tr><tr><td>DEL REL CD</td><td>QUANTITY</td><td colspan="4">DAYS AFTER AWARD</td></tr><tr><td>001</td><td>7</td><td colspan="4">0240</td></tr></table> <div>FOB POINT: Destination</div> <div>SHIP TO: FREIGHT ADDRESS</div> <div>(SW3227) DEF DIST DEPOT RED RIVER RECEIVING BLDG 499 10TH STREET AND K AVENUE TEXARKANA TX 75507-5000</div> <div>CONTRACT/DELIVERY ORDER NUMBER</div> <div>W56HZV-04-P-0276/0000</div> <div>DOC SUPPL</div> <table><tr><td>REL CD</td><td>MILSTRIP</td><td>ADDR</td><td>SIG CD</td><td>MARK FOR</td><td>TP CD</td></tr><tr><td>003</td><td>W56HZV3246T902</td><td>W25G1U</td><td>J</td><td></td><td>2</td></tr><tr><td>DEL REL CD</td><td>QUANTITY</td><td colspan="4">DAYS AFTER AWARD</td></tr><tr><td>001</td><td>10</td><td colspan="4">0240</td></tr></table> <div>FOB POINT: Destination</div> <div>SHIP TO: FREIGHT ADDRESS</div> <div>(W25G1U) XU TRANSPORTATION OFFICER DDSP NEW CUMBERLAND FACILITY BUILDING MISSION DOOR 113 134 NEW CUMBERLAND PA 17070-5001</div> <div>CONTRACT/DELIVERY ORDER NUMBER</div> <div>W56HZV-04-P-0276/0000</div>	REL CD	MILSTRIP	ADDR	SIG CD	MARK FOR	TP CD	002	W56HZV3246T901	SW3227	J		2	DEL REL CD	QUANTITY	DAYS AFTER AWARD				001	7	0240				REL CD	MILSTRIP	ADDR	SIG CD	MARK FOR	TP CD	003	W56HZV3246T902	W25G1U	J		2	DEL REL CD	QUANTITY	DAYS AFTER AWARD				001	10	0240							
REL CD	MILSTRIP	ADDR	SIG CD	MARK FOR	TP CD																																																
002	W56HZV3246T901	SW3227	J		2																																																
DEL REL CD	QUANTITY	DAYS AFTER AWARD																																																			
001	7	0240																																																			
REL CD	MILSTRIP	ADDR	SIG CD	MARK FOR	TP CD																																																
003	W56HZV3246T902	W25G1U	J		2																																																
DEL REL CD	QUANTITY	DAYS AFTER AWARD																																																			
001	10	0240																																																			

Name of Offeror or Contractor: AM GENERAL LLC

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0002	FSCM: 19207 PART NR: 12339644-5 SECURITY CLASS: Unclassified				
0002AA	<p><u>OPTION QUANTITIES</u></p> <p>NOUN: SHELL,CARGO, VEHICULAR</p> <p>OPTION QUANTITY, PURSUANT TO SECTION H OR I CLAUSE ENTITLED OPTION FOR INCREASED QUANTITY--- SEPARATELY PRICED LINE ITEM</p> <p>The quantity stated for the option CLIN DOES NOT Form a part of the basic contractual quantity. Part or all of it may, however, be added to the contract by exercise of the option clause, at the discretion of the Government.</p> <p>(End of narrative B001)</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: SEE CLAUSE 52.211-4515 UNIT PACK: 01 INTERMEDIATE PACK: EA LEVEL PRESERVATION: Military LEVEL PACKING: A</p> <p>ALL EXTERIOR PACKS AND CONTAINERS SHALL BE LEGIBLY AND DURABLY MARKED IN ACCORDANCE WITH MIL-STD-129, AND BAR CODE MARKINGS SHALL BE APPLIED IN ACCORDANCE WITH MIL-STD-129.</p> <p>(End of narrative D001)</p> <p><u>Inspection and Acceptance</u> INSPECTION: Origin ACCEPTANCE: Origin</p> <p><u>Deliveries or Performance</u> DOC SUPPL <u>REL CD</u> <u>MILSTRIP</u> <u>ADDR</u> <u>SIG CD</u> <u>MARK FOR</u> <u>TP CD</u> 001 <u>DEL REL CD</u> <u>QUANTITY</u> <u>DEL DATE</u> 001 27 UNDEFINITIZED</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>FREIGHT ADDRESS</u> (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE</p>	27	EA	\$ 1,579.73000	\$ 42,652.71

Name of Offeror or Contractor: AM GENERAL LLC

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	(SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION. <u>CONTRACT/DELIVERY ORDER NUMBER</u> W56HZV-04-P-0276/0000				

CONTINUATION SHEET

Reference No. of Document Being Continued

Page 7 of 29

PIIN/SIIN W56HZV-04-P-0276

MOD/AMD

Name of Offeror or Contractor: AM GENERAL LLC

CONTRACT ADMINISTRATION DATA

LINE	PRON/ AMS CD/	OBLG	ORDER	ACCOUNTING	OBLIGATED	
ITEM	MIPR	ACRN STAT	ACCOUNTING CLASSIFICATION	NUMBER	STATION	AMOUNT
0001AA	EH31E876EH	AA 2 97	X4930AC9D 6D	26KB S20113	W56HZV \$	42,652.71
	060011					
					TOTAL \$	42,652.71

SERVICE						ACCOUNTING	OBLIGATED
<u>NAME</u>	<u>TOTAL BY ACRN</u>	<u>ACCOUNTING CLASSIFICATION</u>				<u>STATION</u>	<u>AMOUNT</u>
Army	AA	97	X4930AC9D	6D	26KB S20113	W56HZV	\$ 42,652.71
						TOTAL	\$ 42,652.71

CONTINUATION SHEET	Reference No. of Document Being Continued		Page 8 of 29
	PIIN/SIIN	MOD/AMD	

Name of Offeror or Contractor: AM GENERAL LLC

CONTRACT CLAUSES

2	52.211-5	MATERIAL REQUIREMENTS	AUG/2000
3	52.222-21	PROHIBITION OF SEGREGATED FACILITIES	FEB/1999
4	52.225-13	RESTRICTIONS ON CERTAIN FOREIGN PURCHASES	JUN/2003
5	52.232-33	PAYMENT BY ELECTRONIC FUNDS TRANSFER--CENTRAL CONTRACTOR REGISTRATION	OCT/2003
6	52.246-2	INSPECTION OF SUPPLIES--FIXED PRICE	AUG/1996
7	252.211-7005	SUBSTITUTIONS FOR MILITARY OR FEDERAL SPECIFICATIONS AND STANDARDS	FEB/2003
8	252.225-7016	RESTRICTION ON ACQUISITION OF BALL AND ROLLER BEARINGS (Alternate I dated Dec 2000)	DEC/2000
9	52.209-1	QUALIFICATION REQUIREMENTS	FEB/1995

(a) Definition: Qualification requirement, as used in this clause, means a Government requirement for testing or other quality assurance demonstration that must be completed before award.

(b) One or more qualification requirements apply to the supplies or services covered by this contract. For those supplies or services requiring qualification, whether the covered product or service is an end item under this contract or simply a component of an end item, the product, manufacturer, or source must have demonstrated that it meets the standards prescribed for qualification before award of this contract. The product, manufacturer, or source must be qualified at the time of award whether or not the name of the product, manufacturer, or source is actually included on a qualified products list, qualified manufacturers list, or qualified bidders list. Offerors should contact the agency activity designated below to obtain all requirements that they or their products or services, or their subcontractors or their products or services, must satisfy to become qualified and to arrange for an opportunity to demonstrate their abilities to meet the standards specified for qualification.

(Name) SEE SUPPORTING ACTIVITY(IES) LISTED IN THE SPECIFICATION(S)(see Qualified Producers List in TDP)
(Address)

(c) If an offeror, manufacturer, source, product or service covered by a qualification requirement has already met the standards specified, the relevant information noted below should be provided.

Offeror's Name _____
Manufacturer's Name _____
Source's Name _____
Item Name _____
Service _____
Identification_____Test Number_____(to the extent known)

(d) Even though a product or service subject to a qualification requirement is not itself an end item under this contract, the product, manufacturer, or source must nevertheless be qualified at the time of award of this contract. This is necessary whether the Contractor or a subcontractor will ultimately provide the product or service in question. If, after award, the Contracting Officer discovers that an applicable qualification requirement was not in fact met at the time of award, the Contracting Officer may either terminate this contract for default or allow performance to continue if adequate consideration is offered and the action is determined to be otherwise in the Government's best interests.

(e) If an offeror, manufacturer, source product or service has met the qualification requirement but is not yet on a qualified products list, qualified manufacturers list, or qualified bidders list, the offeror must submit evidence of qualification prior to award of this contract. Unless determined to be in the Government's interest, award of this contract shall not be delayed to permit an offeror to submit evidence of qualification.

(f) Any change in location or ownership of the plant where a previously qualified product or service was manufactured or performed requires reevaluation of the qualification. Similarly, any change in location or ownership of a previously qualified manufacturer or source requires reevaluation of the qualification. The reevaluation must be accomplished before the date of award.

[End of Clause]

10	52.204-4006 (TACOM)	INCORPORATION OF TACOM MASTER SOLICITATION FOR SIMPLIFIED ACQUISITIONS AND DESIGNATION OF F.O.B. POINT	MAY/2000
----	------------------------	---	----------

(a) This Request for Quotation (RFQ) or Purchase Order (PO) incorporates by reference TACOM-Warren's Master Solicitation for Simplified Acquisitions with the same force and effect as though the clauses and provisions it contains were physically incorporated into this document. The version in effect at time of award is the version that applies to your purchase order.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0276 MOD/AMD	Page 9 of 29
Name of Offeror or Contractor: AM GENERAL LLC		

- (b) The TACOM-Warren Master Solicitation for Simplified Acquisitions is available on our Electronic Contracting web page, which you can reach using the following URL address: <http://contracting.tacom.army.mil/opportunity.htm>
- (c) The clauses and provisions in Section I of the Master Solicitation apply to all TACOM-Warren RFQs and Purchase Orders that contain this clause. The clauses contained in Section II of the Master Solicitation applies in addition to those in Section I when the RFQ or PO specifies F.O.B. Origin.
- (d) We hereby specify that the required F.O.B. point for this acquisition is destination.
- (e) We will keep the Master Solicitation identified in this clause available on our Electronic Contracting web page during the entire period of performance of the purchase order. If the current Master Solicitation later is revised to incorporate a change in any of the clauses, the version specified in this clause will be retained, intact, in an archive area on our web page for continued reference and use.

[End of Clause]

11 52.211-4015 CONFIGURATION CONTROL--ENGINEERING CHANGES JUL/2002
 (TACOM)

- (a) DEFINITIONS:
- (1) Engineering Change Proposal (ECP). An ECP is a suggestion that we (the Government) permanently change some requirement of the Technical Data Package (TDP). ECPs can be issued before or during contract performance. NOTE: The current Government Standard allows us ninety days to process routine ECPs. If you (the contractor) need a response in less than ninety days to meet contract requirements, you should consider submitting a deviation along with your ECP.
- (2) Request for Deviation (RFD). A RFD is a one-time request to deviate from TDP requirements. You must submit your deviation request before you deviate from the TDP requirements. You can request a deviation for a specific number of parts or the entire contract quantity.
- (3) Value Engineering Change Proposal (VECP). A proposal that --
- (i) Requires a change to the instant contract; and
 - (ii) Results in reducing the overall projected cost to the agency without impairing essential functions or characteristics; provided, that it does not involve a change --
 - (A) In deliverable end item quantities only;
 - (B) In research and development (R&D) end items or R&D test quantities that is due solely to results of previous testing under this contract; or
 - (C) To the contract type only.
- (4) Notice of Revision (NOR). A NOR describes the proposed changes to a technical document being requested by an ECP.
- (b) When will TACOM start processing change requests? TACOM won't start processing any ECP, VECP, or RFD until we receive the ACO's comments (see paragraph (e) below) and the ECP, VECP, or RFD documentation.
- (c) Contractor Responsibility. ECPs, VECPs, and RFD shall contain information per the instructions outlined on the Data Delivery Descriptions (DDD) which can be found at the following website: <http://contracting.tacom.army.mil/engr/engrchange.htm>. Forms for preparing an ECP, VECP, or a RFD can also be found at this website. You may use other media, as long as you give us all the information outlined in the DDDs.
- (1) Identify the two-digit Weapon System Code (WSC) on your submittal. The WSC for this procurement is N5.
- (2) The Contractor shall submit ECPs/VECPs/RFDs to the Government electronically. You must use one of the following electronic mediums: 100 megabyte Zip*-disk, 3 1/2 inch disk, 650 megabyte CD ROM, or E-mail. (E-mail files must be sized 3.5 mb or less.) Identify the software application, and version, that you used to create each file submitted.
- (3) ECPs/VECPs/RFDs submitted in paper form are unacceptable and will be returned. You must use one of the following electronic formats:

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0276 MOD/AMD	Page 10 of 29
---------------------------	--	----------------------

Name of Offeror or Contractor: AM GENERAL LLC

(i) Files readable using these Microsoft 97 Office Products: Word, Excel, PowerPoint, or Access. Spreadsheets must be sent in a file format that includes all formulae, macro and format information. Print image is not acceptable.

(ii) Files in Adobe PDF (Portable Document Format).

(iii) Files in HTML (Hypertext Markup Language). HTML documents must not contain active links to live Internet sites or pages. All linked information must be contained within your electronic ECPs/VECPs/RFDs and be accessible offline.

(iv) Other electronic formats. Before preparing your ECPs, VECPS or RFDs in any other electronic format, please e-mail the engineer, copy-furnished to the buyer and ACO, to obtain a decision as to the format's acceptability. Failure to e-mail the engineer to seek an alternate format's acceptability may result in rejection of your submission. All alternate methods must be at no cost to the Government. NOTE: The above formats may be submitted in compressed form using self-extracting files.

(d) Submittal Procedures for ECPs/VECPs/RFDs.

(1) Send one copy of the ECP, VECP or RFD in electronic format to your ACO.

(2) Send one copy of the ECP, VECP or RFD in electronic format to the buyer listed on the solicitation/ contract document.

WARNING - Submit complete, legible, virus free packages per paragraphs 1 and 2 above, or we may return your ECP/VECP/RFD without processing them.

(e) ACO Responsibility. Within ten working days from the day you receive the contractor's request, the ACO must prepare Comments on the ECP, VECP, or RFD in electronic format, and forward it as follows:

ECPs, VECPS, and RFDs. Email a copy of the contractor's request and ACO comments (DD Form 1998) to the engineer Arthur Griffin and the buyer identified in block 7 of the solicitation cover sheet (SF 33), block 5 on the Standard Form 26, or block 6 on the DD Form 1155.

(f) Approval of ECPs, VECPS and RFDs.

(1) ECPs should be used to make permanent changes in the Government Technical Data Package (TDP). Contractual relief should be requested using a Request for Deviation. This is because the Government requires more time to analyze any proposal to permanently change the specification or TDP. Cost saving improvements to the TDP should be submitted as a VECP, if a VE clause is contained in the contract.

(2) ECPs. TACOM will review and make a decision within the ninety day timeframe. Notification of our decision will be made by the contracting officer or representative.

(3) RFDs. Decision on RFDs will be made within 30 days from the date we receive them from the ACO.

(g) Processing Emergency and Urgent ECPs. Ordinarily, ECPs submitted by the contractor will be deemed routine. If you submit an ECP that you consider to be an emergency or urgent (as defined in paragraph 11 of DDD for ECPs), you must immediately notify the PCO. TACOM will review the criticality of the ECP, and, if we determine that it is urgent or critical, we'll follow the appropriate processing time-frames as outlined in paragraph 11 of the DDD for ECPs.

(h) Reminder - Only the PCO can change the Contract. NO OTHER GOVERNMENT REPRESENTATIVE is authorized to make a commitment for, or bind the Government.

(i) RFDs shall contain sufficient pricing data to determine if a downward equitable adjustment to the contract is required.

(j) Questions.

(1) Questions about preparation and submittal of change request should be directed to the Government Quality Assurance Representative (QAR).

(2) Questions about the status of change requests you've already submitted, contact the buyer. You can find the buyer's name, number and e-mail address in block 7 of the solicitation cover sheet (SF 33), block 5 on the Standard Form 26, or block 6 on the DD Form 1155.

[End of Clause]

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0276 MOD/AMD	Page 11 of 29
Name of Offeror or Contractor: AM GENERAL LLC		

(a) The purchase description or Technical Data Package (TDP) for this purchase order incorporates one or more specifications or standards that, in their unmodified form, either authorize or require the use of Class I Ozone-Depleting Substances (CIODS). For purposes of your performance on this purchase order, those specifications (which are identified in paragraph (b) of this clause) are modified by special tailoring language which appears in the TACOM Acquisition Center's web-site. Directions for reaching our web-site and locating the required tailoring language appear in paragraph (c) of this clause.

(b) Tailoring language to eliminate the authorization or requirement to use Class I Ozone-Depleting Substances (CIODS) is hereby incorporated into this contract by reference. Packaging Specifications MIL-L-61002 and MIL-STD-129, where they apply, are affected by this tailoring language. Other specifications and standards affected are: not applicable.

(c) The CIODS listing that contains the required tailoring language is on the TACOM Acquisition Center web-site, which you can reach by using this URL: <http://contracting.tacom.army.mil/ciods.html>

[End of Clause]

13 52.211-4515 PACKAGING REQUIREMENT (SPECIAL PACKAGING INSTRUCTIONS) SEP/2003

(a) Military preservation, packing, and marking for this contract/order shall be accomplished in accordance with the specific requirements identified below, all the applicable requirements of, MIL-STD-2073-1, Revision D, Dated 15 Dec 1999 and Notice 1, dated 10 May 2002, and the Special Packaging Instruction, see below.

(1) LEVEL OF PRESERVATION: Military

(2) LEVEL OF PACKING: A

QUANTITY PER UNIT PACKAGE: 001

(4) SPECIAL PACKAGING INSTRUCTION NUMBER. 12339644-5

a. REVISION n.a

b. DATE OF REVISION n.a.

(b) Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall be of a size to allow for placement of two loads high and wide in a conveyance. The weight capacity of the pallet must be adequate for the load. The preferred commercial expendable pallet is a 40 x 48 inch, 4-way entry pallet although variations may be permitted as dictated by the characteristics of the items being unitized. The load shall be contained in a manner that will permit safe handling during shipment and storage

(c) Marking:

(1) In addition to any special markings called out on the SPI, all unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129, Revision P, Dated 15 Dec 2002, including bar coding. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract/order or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive materiel will not identify the nature of the materiel.

(2) Contractors and vendors shall apply identification and address markings with bar codes in accordance with this standard. For shipments moving to overseas locations and for mobile deployable units, the in-the-clear address must also include the host country geographic address and the APO/FPO address. A Military Shipment Label (MSL) is required for all shipments except contractor to contractor. The MSL will include both linear and 2D bar codes per the standard. DVD shipment documentation must also be marked with additional bar codes. The DD Form 250 or the commercial packing list shall have additional issue/receipt bar coding applied as per Direct Vendor Delivery Shipments in the standard (except for deliveries to DLA Distribution Depots, e.g. New Cumberland, San Joaquin, Red River, Anniston). . Packing lists are required in accordance with the Standard, see paragraph 5.3.

(3) Contractor to contractor shipments shall have the address markings applied to the identification marked side of the exterior shipping container or to the unitized load markings. The following shall be marked "FROM: name and address of consignor and TO: name and address of consignee".

(4) Military Shipping Label: : Military Shipment Labels(MSLs) may be created using commercially available programs. These commercial programs can generate a MIL-STD-129 and Defense Transportation Regulation compliant MSLs and package labels. For example, the EasyForm MSL at <http://www.easysoftcorp.com/products/Software/MSL.html>>. Insure that the ship to and mark for in-the-clear delivery address is complete including:consignees name, organization, department name, office, building, room, street address, city, state, country code, & DODAAC.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0276 MOD/AMD	Page 12 of 29
Name of Offeror or Contractor: AM GENERAL LLC		

(d) Heat Treatment and Marking of Wood Packaging Materials: Boxes/pallets and any wood used as inner packaging made of non-manufactured wood shall be heat-treated. All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall ensure traceability to the original source of heat treatment. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. Foreign manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant Protection Organizations compliance program.

(e) Hazardous Materials(As applicable):

(1) Hazardous Materials is defined as a substance, or waste which has been determined by the Secretary of Transportation to be capable of posing an unreasonable risk to health, safety, and property when transported in commerce and which has been so designated. (This includes all items listed as hazardous in Titles 29, 40 and 49 CFR and other applicable modal regulations effective at the time of shipment.)

(2) Unless otherwise specified, packaging and marking for hazardous material shall comply with the requirements herein for the mode of transport and the applicable performance packaging contained in the following documents:

International Air Transport Association (IATA) Dangerous Goods Regulations
International Maritime Dangerous Goods Code (IMDG)
Code of Federal Regulations (CFR) Title 29, Title 40 and Title 49
Joint Service Regulation AFJMAN24-204/TM38-250/NAVSUPPUB 505/MCO
P4030.19/DLAM 4145.3 (for military air shipments).

(3) If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the United Nations Recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers.

A Product Material Safety Data Sheets (MSDS) is required to be included with every unit pack and intermediate container and shall be included with the packing list inside the sealed pouch attached to the outside of the package.

(f) This SPI has been validated and the method of preservation/packing has proven successful in meeting the needs of the military distribution system, including indeterminate storage and shipment throughout the world. Special instructions and/or tailoring of the SPI is detailed in the Supplemental Instructions below. A prototype package is required to validate the sizes and fit requirements of the SPI. Minor dimensional and size changes are acceptable provided contractor provides the PCO and ACO with notification 60 days prior to delivery. Any design changes or changes in the method of preservation that provide a cost savings without degrading the method of preservation or packing or affecting the serviceability of the item will be considered and responded to within 10 days of submission to PCO and ACO. Government reserves the right to require testing to validate alternate industrial preservation methods, materials, alternate blocking, bracing, cushioning, and packing.

(f) SUPPLEMENTAL INSTRUCTIONS: None

[End of Clause]

14 52.217-4001 SEPARATELY PRICED OPTION FOR INCREASED QUANTITY APR/1997
 (TACOM)

(a) The Government hereby reserves the right to increase the quantity of the contract item up to an additional quantity of 27 units. The unit price for such option quantity shall be as set forth in CLIN 0002AA. This option may be exercised by the Government at any time, but in any event not later than 150 days after award. In addition, such option may be exercised in increments, subject to the stated total additional quantity limitations, price(s), and the above-stated time for exercise of the option.

(b) Delivery of the items added by the exercise of this option shall continue immediately after, and at the same rate as, delivery of like items called for under this contract, unless the parties hereto otherwise agree.

(c) Additionally, prior to the expiration of the original option period identified in paragraph (a) above, the Government may seek a bilateral extension of the option period for an additional period not to exceed 90 days from the expiration date of the original option period.

[End of Clause]

15 52.223-4002 USE OF CLASS I OZONE-DEPLETING SUBSTANCES (CIODS) DEC/1993

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0276 MOD/AMD	Page 13 of 29
Name of Offeror or Contractor: AM GENERAL LLC		

(TACOM)

(a) Definitions.

(1) Class I Ozone-Depleting Substances (CIODS) refers to the class of substances identified in Section 602(a) of the Clean Air Act, (42 U.S.C. 7671a(a)), as reproduced below:

- (i) chlorofluorocarbon-11 (CFC-11)
- (ii) chlorofluorocarbon-12 (CFC-12)
- (iii) chlorofluorocarbon-13 (CFC-13)
- (iv) chlorofluorocarbon-111 (CFC-111)
- (v) chlorofluorocarbon-112 (CFC-112)
- (vi) chlorofluorocarbon-113 (CFC-113)
- (vii) chlorofluorocarbon-114 (CFC-114)
- (viii) chlorofluorocarbon-115 (CFC-115)
- (ix) chlorofluorocarbon-211 (CFC-211)
- (x) chlorofluorocarbon-212 (CFC-212)
- (xi) chlorofluorocarbon-213 (CFC-213)
- (xii) chlorofluorocarbon-214 (CFC-214)
- (xiii) chlorofluorocarbon-215 (CFC-215)
- (xiv) chlorofluorocarbon-216 (CFC-216)
- (xv) chlorofluorocarbon-217 (CFC-217)
- (xvi) halon-1211
- (xvii) halon-1301
- (xviii) halon-2402
- (xix) carbon tetrachloride
- (xx) methyl chloroform
- (xxi) methyl bromide
- (xxii) hydrobromofluorocarbons (HBFCs)
- (xxiii) All isomers of the substances listed in this paragraph (a)(1) except for 1,1,2-trichloroethane, which is an isomer of methyl chloroform.

(2) Directly requires the use of CIODS means that the Government's specification or technical data package, at any tier, explicitly requires the use of any Class I Ozone-Depleting Substance (CIODS) in performance of the contract.

(3) Indirectly requires the use of CIODS means that the Government's specification or technical data package, while not explicitly requiring the use of any CIODS, does require a feature that you can meet or produce only by the use of CIODS.

(b) Per Section 326 of Public Law 102-484, the Department of Defense cannot award any contract that directly or indirectly requires the use of CIODS unless (i) the use of such substances is essential for contract performance, and (ii) no suitable substitute for the CIODS currently is available.

(c) Before releasing this solicitation, we conducted a best effort review of its technical requirements, standards, and specifications, to see if any contain requirements for CIODS. If we identified any such CIODS requirements, they are identified in subparagraph (d)(1) below.

(1) In addition, to help TACOM meet its obligations under Public Law 102-484, we ask you for input. If you have any special knowledge about any CIODS requirements that our specifications impose, whether directly or indirectly, or if you know about potential substitutes for any CIODS required by our specifications, we would appreciate the information.

(2) It should be understood that you are not obligated to give us the information requested by this provision, and that we cannot provide any separate or special payment for doing so. However, we are asking only for information based on knowledge that is readily available to you as a supplier in this industry. We do not expect you to do any review of our specifications more extensive than the one you perform in order to develop your price.

(d) Please summarize your own review of our specification/technical data package, by completing the following:

(1) During our review of the specification or technical data package in this solicitation, we--

- [X] have
- [] have not

found any direct requirements to use any CIODS. (Since have is checked above, offerors are asked to identify, on the following lines, (i) any specifications and standards not already listed immediately below that directly require the use of CIODS; (ii) the CIODS required by the listed specifications and standards; and (iii) whether any substitutes are known to be available for the listed CIODS.)

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0276 MOD/AMD	Page 14 of 29
Name of Offeror or Contractor: AM GENERAL LLC		

<u>Spec/Standard</u>	<u>Required CIODS</u>	<u>Substitute Available?</u>
NA		

(2) Further, in our review of the specification or technical data package in this solicitation, we--

- [] have
[] have not

found any indirect requirements to use any CIODS. (Offerors who check have above are asked to identify, on the following lines, (i) the specifications and standards for this acquisition that indirectly require the use of CIODS; (ii) the CIODS indirectly required by each listed specification and standard; and (iii) whether any substitutes are known to be available for the listed CIODS.)

<u>Spec/Standard</u>	<u>Required CIODS</u>	<u>Substitute Available?</u>
_____	_____	_____
_____	_____	_____

(e) Offerors who check have in paragraphs (d)(1) or (2) above also are requested to say whether substitutes are known to be available for any of the CIODS. If an available substitute would perform less well than the CIODS would perform, please let us know what the technical trade-offs are to the extent that you have such information available.

(f) If you checked have in paragraphs (d)(1) or (2) above, and also indicated that substitutes for CIODS are available, we need to know whether use of the suggested substitute would have any effect on your proposed price. If your proposal price for compliance with our current specifications differs from what your price would be if the substitute for CIODS were required, we ask that you let us know what the difference would be in Section B of this solicitation, by giving us two prices or offers:

--One price/offer, labeled with CIODS, will be the offered price in the event that CIODS are used.

--The second price/offer, labeled without CIODS, will be the price offered if substitutes for CIODS are used, and will specify the substitute(s) being proposed for use.

(g) Section 326 of Public Law 102-484 reflects the national and international interest in minimizing the use of CIODS. For this reason, TACOM reserves the right to (i) determine the suitability of substitutes for CIODS when such potential substitutes are available; and (ii) change the specification in any contract awarded as a result of this solicitation, to require the use of suitable substitutes in lieu of CIODS.

[End of Provision]

16	52.242-4008 (TACOM)	ROUTING OF SPECIAL PROCESS APPROVALS	AUG/1994
----	------------------------	--------------------------------------	----------

(a) Specification TT-C-490, which is part of the technical data package for this contract, may require you to get approval from us prior to production for one or more special processes involved in producing this item. You are required to get prior approval unless the specification says otherwise.

(b) You will prepare the written procedures as the specification requires. You will then route the procedure through the Administrative Contracting Officer (ACO) for review and comment. Once you get the procedure back from the ACO, you will then forward it to the Procuring Contracting Officer (PCO) at TACOM for final approval. The correct address for the PCO is on the face page of this contract.

(c) You will cite (i) the contract number and (ii) the governing specification or standard on all procedures you submit for approval.

[End of Clause]

17	52.246-4005 (TACOM)	INSPECTION AND ACCEPTANCE POINTS: ORIGIN	FEB/1995
----	------------------------	--	----------

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0276 MOD/AMD	Page 15 of 29
Name of Offeror or Contractor: AM GENERAL LLC		

(a) Inspection and acceptance of supplies offered under this purchase order shall take place as specified herein. Inspection: ORIGIN Acceptance: ORIGIN

(b) Origin inspection shall take place at the site specified below:

AM General
408 south Brkit St.
Mishawaka, St. Joseph, IN
46546-0728

[End of Clause]

18 52.246-4053 USE OF MIL-STD 1916 JAN/2001
(TACOM)

The Government will not accept lots whose samples submitted for acceptance contain nonconformances unless appropriately documented and approved by the contracting officer. The contractor shall use MIL-STD- 1916, DOD Preferred Methods of Acceptance of Product. The Verification Level (VL) shall be VL IV for major characteristics and VL II for minor characteristics. MIL-HDBK-1916 provides guidance on the use of MIL-STD 1916. This handbook is not contractually binding.

[End of Clause]

19 52.204-2 SECURITY REQUIREMENTS AUG/1996
(a) This clause applies to the extent that this contract involves access to information classified Confidential, Secret, or Top Secret.

(b) The Contractor shall comply with (1) the Security Agreement (DD Form 441), including the National Industrial Security Program Operating Manual (DOD 5220.22-M), and (2) any revisions to that manual, notice of which has been furnished to the Contractor.

(c) If, subsequent to the date of this contract, the security classification or security requirements under this contract are changed by the Government and if the changes cause an increase or decrease in security costs or otherwise affect any other term or condition of this contract, the contract shall be subject to an equitable adjustment as if the changes were directed under the CHANGES clause of this contract.

(d) The Contractor agrees to insert terms that conform substantially to the language of this clause, including this paragraph (d) but excluding any reference to the CHANGES clause of this contract, in all subcontracts under this contract that involve access to classified information.

(End of clause)

20 52.247-48 F.O.B. DESTINATION--EVIDENCE OF SHIPMENT (DEVIATION) JUL/1995

(a) If this contract is awarded on an f. o. b. destination basis, and if transportation is accomplished by common carrier, parcel post, or other than common carrier, the Contractor agrees not to invoice until the supplies are shipped, and to retain the following evidence of shipment (EOS) documentation for a period of 4 years after completion of the contract.

(1) If transportation is accomplished by common carrier, the Contractor will retain a signed copy of the commercial bill of lading of the supplies covered by the invoice, indicating the carrier's intent to ship said supplies to the destination specified in the contract.

(2) If transportation is accomplished by parcel post, the Contractor will retain a copy of the mailing certificate, or

(3) If transportation is by other than common carrier or parcel post, the Contractor will retain the receipt copy of the appropriate delivery document showing receipt at the destination in the contract.

(b) Retention of the above EOS documentation and having the documentation available for subsequent review, if needed, eliminates the requirement to provide these documents with the Contractor's paper, or electronically transmitted, invoices.

[End of Clause]

21 252.225-7036, BUY AMERICAN ACT--NORTH AMERICAN FREE TRADE AGREEMENT IMPLEMENTATION APR/2003
ALT I ACT--BALANCE OF PAYMENTS PROGRAM, Alternate I dated April 2003

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0276 MOD/AMD	Page 16 of 29
Name of Offeror or Contractor: AM GENERAL LLC		

(a) Definitions. As used in this clause-

- (1) "Component" means an article, material, or supply incorporated directly into an end product.
- (2) "Domestic end product" means-
 - (i) An unmanufactured end product that has been mined or produced in the United States; or
 - (ii) An end product manufactured in the United States if the cost of its qualifying country components and its components that are mined, produced, or manufactured in the United States exceeds 50 percent of the cost of all its components. The cost of components includes transportation costs to the place of incorporation into the end product and U.S. duty (whether or not a duty-free entry certificate is issued). Scrap generated, collected, and prepared for processing in the United States is considered domestic. A component is considered to have been mined, produced, or manufactured in the United States (regardless of its source in fact) if the end product in which it is incorporated is manufactured in the United States and the component is of a class or kind for which the Government has determined that-
 - (A) Sufficient and reasonably available commercial quantities of a satisfactory quality are not mined, produced, or manufactured in the United States; or
 - (B) It is inconsistent with the public interest to apply the restrictions of the Buy American Act.
- (3) "End product" means those articles, materials, and supplies to be acquired under this contract for public use.
- (4) "Foreign end product" means an end product other than a domestic end product.
- (5) "North American Free Trade Agreement (NAFTA) country" means Canada or Mexico.
- (6) "Canadian end product," means an article that-
 - (i) Is wholly the growth, product, or manufacture of Canada; or
 - (ii) In the case of an article that consists in whole or in part of materials from another country or instrumentality, has been substantially transformed in Canada into a new and different article of commerce with a name, character, or use distinct from that of the article or articles from which it was transformed. The term refers to a product offered for purchase under a supply contract, but for purposes of calculating the value of the end product includes services (except transportation services) incidental to its supply, provided that the value of those incidental services does not exceed the value of the product itself.
- (7) "Qualifying country" means any country set forth in subsection 225.872-1 of the Defense Federal Acquisition Regulation Supplement.
- (8) "Qualifying country component" means a component mined, produced, or manufactured in a qualifying country.
- (9) "Qualifying country end product" means-
 - (i) An unmanufactured end product mined or produced in a qualifying country; or
 - (ii) An end product manufactured in a qualifying country if the cost of the following types of components exceeds 50 percent of the cost of all its components:
 - (A) Components mined, produced, or manufactured in a qualifying country.
 - (B) Components mined, produced, or manufactured in the United States.
 - (C) Components of foreign origin of a class or kind for which the Government has determined that sufficient and reasonably available commercial quantities of a satisfactory quality are not mined, produced, or manufactured in the United States.
- (10) "United States" means the United States, its possessions, Puerto Rico, and any other place subject to its jurisdiction, but does not include leased bases or trust territories.

(b) This clause implements the Buy American Act (41 U.S.C. Section 10a-d), the Balance of Payments Program, and the North American Free Trade Agreement Implementation Act of 1993 (19 U.S.C. 3301 note). Unless otherwise specified, this clause applies to all items in the Schedule.

(c) The Contractor shall deliver under this contract only domestic end products unless, in its offer, it specified delivery of qualifying country, Canadian, or other foreign end products in the Buy American Act--North American Free Trade Agreement Implementation Act--Balance of Payments Program Certificate provision of the solicitation. If the Contractor certified in its offer that it will deliver a qualifying country end product or a Canadian end product, the Contractor shall deliver a qualifying country end product, a Canadian end product, or, at the Contractor's option, a domestic end product.

(d) The contract price does not include duty for end products or components for which the Contractor will claim duty-free entry.

(End of clause)

22 252.225-7037 DUTY-FREE ENTRY--ELIGIBLE END PRODUCTS MAR/1998

(a) Definition. "Eligible end product," as used in this clause, means-

(1) "Designated country end product," "Caribbean Basin country end product," or "NAFTA country end product," as defined in the Trade Agreements clause of this contract;

(2) "NAFTA country end product," as defined in the Buy American Act--North American Free Trade Agreement Implementation Act--Balance of Payments Program clause of this contract; or

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0276 MOD/AMD	Page 17 of 29
Name of Offeror or Contractor: AM GENERAL LLC		

(3) "Canadian end product," as defined in Alternate I of the Buy American Act--North American Free Trade Agreement Implementation Act--Balance of Payments Program clause of this contract.

(b) The requirements of this clause apply to this contract and subcontracts, including purchase orders, that involve delivery of eligible end products to be accorded duty-free entry whether placed-

- (1) Directly with a foreign concern as a prime contract; or
- (2) As a subcontract or purchase order under a contract with a domestic concern.

(c) Except as otherwise approved by the Contracting Officer, no amount is or will be included in the contract price for duty for eligible end products.

- (d) The Contractor warrants that-
- (1) All eligible end products, for which duty-free entry is to be claimed under this clause, are intended to be delivered to the Government; and
 - (2) The Contractor will pay any applicable duty to the extent that such eligible end products, or any portion thereof (if not scrap or salvage) are diverted to nongovernmental use, other than as a result of a competitive sale made, directed, or authorized by the Contracting Officer.

(e) The Government agrees to execute duty-free entry certificates and to afford such assistance as appropriate to obtain the duty-free entry of eligible end products for which the shipping documents bear the notation specified in paragraph (f) of this clause, except as the Contractor may otherwise agree.

(f) All shipping documents submitted to Customs, covering eligible end products for which duty-free entry certificates are to be issued under this clause, shall-

- (1) Consign the shipments to the appropriate-
 - (i) Military department in care of the Contractor, including the Contractor's delivery address; or
 - (ii) Military installation; and
- (2) Include the following information-
 - (i) Prime contract number, and delivery order if applicable;
 - (ii) Number of the subcontract/purchase order for foreign supplies if applicable;
 - (iii) Identification of carrier;
 - (iv)
 - (A) For direct shipments to a U.S. military installation, the notation: UNITED STATES GOVERNMENT, DEPARTMENT OF DEFENSE Duty-Free Entry to be claimed pursuant to Section XXII, Chapter 98, Subchapter VIII, Item 9808.00.30 of the Harmonized Tariff Schedule of the United States. Upon arrival of shipment at the appropriate port of entry, District Director of Customs, please release shipment under 19 CFR part 142, and notify Commander, Defense Contract Management Command (DCMC) New York, ATTN: Customs Team, DCMCN-GNIC, 207 New York Avenue, Staten Island, New York 10305-5013, for execution of Customs Forms 7501, 7501A, or 7506 and any required duty-free entry certificates.
 - (B) In cases where the shipment will be consigned to other than a military installation, e.g., a domestic contractor's plant, the shipping document notation shall be altered to insert the name and address of the contractor, agent or broker who will notify Commander, DCMC, NY, for execution of the duty-free certificate. (Note: In those instances where the shipment will be consigned to a contractor's plant and no duty-free entry certificate is required, the contractor or its agent shall claim duty-free entry under NAFTA or other trade agreement and shall comply with the U.S. Customs Service requirements. No notification to Commander, DCMC, NY, is required.

(v) Gross weight in pounds (if freight is based on space tonnage, state cubic feet in addition to gross shipping weight);

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0276 MOD/AMD	Page 18 of 29
Name of Offeror or Contractor: AM GENERAL LLC		

(vi) Estimated value in U.S. dollars; and

(vii) Activity Address Number of the contract administration office actually administering the prime contract, e.g., for DCMC Dayton, S3605A.

(g) Preparation of customs forms.

(1) Except for shipments consigned to a military installation, the Contractor shall prepare, or authorize an agent to prepare, any customs forms required for the entry of eligible end products in connection with DoD contracts into the United States, its possessions, or Puerto Rico. The completed customs forms shall be submitted to the District Director of Customs with a copy to DCMC NY for execution of any required duty-free entry certificates. Shipments consigned directly to a military installation will be released in accordance with 10.101 and 10.102 of the U.S. Customs regulations.

(2) For shipments containing both supplies that are to be accorded duty-free entry and supplies that are not, the Contractor shall identify on the customs forms those items that are eligible for duty-free entry.

(h) The Contractor agrees-

(1) To prepare (if this contract is placed directly with a foreign supplier), or to instruct the foreign supplier to prepare, a sufficient number of copies of the bill of lading (or other shipping document) so that at least two of the copies accompanying the shipment will be available for use by the District Director of Customs at the port of entry;

(2) To consign the shipment as specified in paragraph (f) of this clause; and

(3) To mark the exterior of all package as follows:

(i) "UNITED STATES GOVERNMENT, DEPARTMENT OF DEFENSE;" and

(ii) The activity address number of the contract administration office actually administering the prime contract.

(i) The Contractor agrees to notify the Contracting Officer administering the prime contract in writing of any purchase under the contract of eligible end products to be accorded duty-free entry that are to be imported into the United States for delivery to the Government or for incorporation in end items to be delivered to the Government. The notice shall be furnished to the contract administration office immediately upon award to the supplier of the eligible end products. The notice shall contain-

(1) Prime contractor's name, address, and CAGE code;

(2) Prime contract number, and delivery order number if applicable;

(3) Total dollar value of the prime contract or delivery order;

(4) Expiration date of the prime contract or delivery order;

(5) Foreign supplier's name and address;

(6) Number of the subcontract/purchase order for eligible end products;

(7) Total dollar value of the subcontract for eligible end products;

(8) Expiration date of the subcontract for eligible end products;

(9) List of items purchased;

(10) An agreement by the Contractor that any applicable duty shall be paid by the Contractor to the extent that such eligible end products are diverted to nongovernmental use other than as a result of a competitive sale made, directed, or authorized by the Contracting Officer; and

(11) The scheduled delivery date(s).

[End of Clause]

(a) Definitions. As used in this clause--

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0276 MOD/AMD	Page 19 of 29
Name of Offeror or Contractor: AM GENERAL LLC		

- (1) Components means articles, materials, and supplies incorporated directly into end products at any level of manufacture, fabrication, or assembly by the Contractor or any subcontractor.
- (2) Department of Defense (DoD) means the Army, Navy, Air Force, Marine Corps, and defense agencies.
- (3) Foreign flag vessel means any vessel that is not a U.S.-flag vessel.
- (4) Ocean transportation means any transportation aboard a ship, vessel, boat, barge, or ferry through international waters.
- (5) Subcontractor means a supplier, materialman, distributor, or vendor at any level below the prime contractor whose contractual obligation to perform results from, or is conditioned upon, award of the prime contract and who is performing any part of the work or other requirement of the prime contract. However, effective May 1, 1996, the term does not include a supplier, materialman, distributor, or vendor of commercial items or commercial components.
- (6) Supplies means all property, except land and interests in land, that is clearly identifiable for eventual use by or owned by the DoD at the time of transportation by sea.
- (i) An item is clearly identifiable for eventual use by the DoD if, for example, the contract documentation contains a reference to a DoD contract number or a military destination.
- (ii) Supplies includes (but is not limited to) public works; buildings and facilities; ships; floating equipment and vessels of every character, type, and description, with parts, subassemblies, accessories, and equipment; machine tools; material; equipment; stores of all kinds; end items; construction materials; and components of the foregoing.
- (7) U.S.-flag vessel means a vessel of the United States or belonging to the United States, including any vessel registered or having national status under the laws of the United States.
- (b)(1) The Contractor shall use U.S.-flag vessels when transporting any supplies by sea under this contract.
- (2) A subcontractor transporting supplies by sea under this contract shall use U.S.-flag vessels if-
- (i) This contract is a construction contract; or
- (ii) The supplies being transported are-
- (A) Noncommercial items; or
- (B) Commercial items that-
- (1) The Contractor is reselling or distributing to the Government without adding value (generally, the Contractor does not add value to items that it subcontracts for f.o.b. destination shipment);
- (2) Are shipped in direct support of U.S. military contingency operations, exercises, or forces deployed in humanitarian or peacekeeping operations; or
- (3) Are commissary or exchange cargoes transported outside of the Defense Transportation System in accordance with 10 U.S.C. 2643.
- (c) The Contractor and its subcontractors may request that the Contracting Officer authorize shipment in foreign-flag vessels, or designate available U.S.-flag vessels, if the Contractor or a subcontractor believes that--
- (1) U.S.-flag vessels are not available for timely shipment;
- (2) The freight charges are inordinately excessive or unreasonable; or
- (3) Freight charges are higher than charges to private persons for transportation of like goods.
- (d) The Contractor must submit any request for use of other than U.S.-flag vessels in writing to the Contracting Officer at least 45 days prior to the sailing date necessary to meet its delivery schedules. The Contracting Officer will process requests submitted after such date(s) as expeditiously as possible, but the Contracting Officer's failure to grant approvals to meet the shipper's sailing date will not of itself constitute a compensable delay under this or any other clause of this contract. Requests shall contain at a minimum--
- (1) Type, weight, and cube of cargo;
- (2) Required shipping date;
- (3) Special handling and discharge requirements;
- (4) Loading and discharge points;
- (5) Name of shipper and consignee;

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0276 MOD/AMD	Page 20 of 29
Name of Offeror or Contractor: AM GENERAL LLC		

(6) Prime contract number; and

(7) A documented description of efforts made to secure U.S.-flag vessels, including points of contact (with names and telephone numbers) with at least two U.S.-flag carriers contacted. Copies of telephone notes, telegraphic and facsimile message or letters will be sufficient for this purpose.

(e) The Contractor shall, within 30 days after each shipment covered by this clause, provide the Contracting Officer and the Division of National Cargo, Office of Market Development, Maritime Administration, U.S. Department of Transportation, Washington, DC 20590, one copy of the rated on board vessel operating carrier's ocean bill of lading, which shall contain the following information--

(1) Prime contract number;

(2) Name of vessel;

(3) Vessel flag of registry;

(4) Date of loading;

(5) Port of loading;

(6) Port of final discharge;

(7) Description of commodity;

(8) Gross weight in pounds and cubic feet if available;

(9) Total ocean freight in U.S. dollars; and

(10) Name of the steamship company.

(f) The Contractor shall insert the substance of this clause, including this paragraph (f) in subcontracts that are for a type of supplies described in paragraph (b)(2) of this clause.

[End of Clause]

24 52.204-4005 REQUIRED USE OF ELECTRONIC CONTRACTING DEC/2002
(TACOM)

(a) All contract awards, modifications and delivery orders issued by TACOM will be issued electronically. The contractor has the option to receive these actions either via the Worldwide Web (WWW) or Electronic Data Interchange (EDI). Many provisions/clauses that appear "by reference", meaning only clause titles and regulation site are listed; their full texts can be found at the website <http://farsite.hill.af.mil/>

(b) In order to be eligible to receive an award under this solicitation, the successful offeror must be registered with the Department of Defense (DOD) Central Contractor Registration (CCR). The CCR registration process may be done electronically at the World Wide Web (WWW) site: <http://www.ccr.gov/> . (In order to be registered to use EDI, you must use the long form for registration. Certification information, including information on the EDI 838 TPP, must be furnished to the Contracting Officer within 60 calendar days after contract award to complete networking requirements within the Government.)

(c) Worldwide Web Distribution. The contractor will receive an electronic Notice of the Award, Modification, or Delivery Order via e-mail. If you choose the WWW option, you must download the file from the appropriate TACOM webpage:

Warren: http://contracting.tacom.army.mil/awards_official.htm
Rock Island: <http://aais.ria.army.mil/AAIS/AWDINFO/index.htm>
Picatinny: <http://procnet.pica.army.mil/Contracts/Index.htm>
Red River Army Depot: <http://www.redriver.army.mil/contracting/Awards>
Anniston Army Depot: <http://www.anadprocnet.army.mil>

(d) Electronic Data Interchange. If you choose to receive contract awards, modifications and delivery orders through EDI, they will be delivered electronically via the Federal Acquisition Network (FACNET). Federal Standard Version 3050 of Standard X12 from the American National Standards Institute (ANSI) will be used as the format for these electronic transactions.

(1) You must complete the EDI 838 Trading Partner Profile, and must agree (i) to subcontract with a DoD certified VAN or Value Added Service (VAS) provider, or (ii) to become DoD certified as a Value Added Network (VAN). The EDI 838 Training Partner

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0276 MOD/AMD	Page 21 of 29
Name of Offeror or Contractor: AM GENERAL LLC		

Profile is contained in the basic CCR registration form and includes portions of the registration form which are titled "Optional".

(2) You must select a VAN from the official DoD approved list. DoD Certified VANs are listed at <http://www.acq.osd.mil/ec/ecip/index.htm> . If your VAN is later removed from the official list, or if you voluntarily drop your initially selected VAN, then you must switch to a VAN that remains on the official DoD approved list. You must maintain an active account on a DoD approved VAN for the entire duration of the contract, beginning no later than the 60th day after award.

(e) Unless otherwise specified elsewhere in the contract, all data items you are required to provide under this contract must be submitted electronically. Acceptable formats include:

- (1) Microsoft* 97 Office Products (TACOM can currently read OFFICE 97* and lower.): Word, Excel, Powerpoint, or Access
- (2) 100 OR 250 MEGABYTE ZIP*-DISK, 3 1/2 INCH DISK, OR 650 MEGABYTE CD ROM
- (3) E-MAIL (Maximum size of each e-mail message is be three and one-half (3.5) megabytes).
- (4) Other electronic formats. Before submitting your data in any other electronic format, please e-mail the buyer identified on the face of the contract, with e-mail copy-furnished to amsta-idq@tacom.army.mil, to obtain a decision as to the format's acceptability. This e-mail must be received by the buyer not later than ten calendar days before the required data submission date.

NOTE: The above formats may be submitted in compressed form using self-extracting files.

(f) Additional information can be obtained by sending a message to: acqcenweb@tacom.army.mil or by calling (586) 574-7059.

[End of Clause]

25	52.204-4009	MANDATORY USE OF CONTRACTOR TO GOVERNMENT ELECTRONIC COMMUNICATION	JUN/1999
	(TACOM)		

(a) All references in the contract to the submission of written documentation shall mean electronic submission. All electronic submissions shall be in the formats and media described in the "Electronic Quotations/Offers/Bids Required in Response to this Request for Quotations/Proposals/Bids" clause elsewhere in this document. (See Section K for commercial acquisitions, Section L for RFPs, and Section I for RFQs.)

(b) This shall include all written unclassified communications between the Government and the Contractor except contract awards and contract modifications which shall be posted on the internet. Return receipt shall be used if a commercial application is available. Classified information shall be handled in full accordance with the appropriate security requirements.

(c) In order to be contractually binding, all Government communications requiring a Contracting Officer signature must be sent from the Contracting Officer's e-mail address. The Contractor shall designate the personnel with signature authority who can contractually bind the contractor. All binding contractor communication shall be sent from this contractor e-mail address(es).

(d) Upon award, the Contractor shall provide the Contracting Officer with a list of e-mail addresses for all administrative and technical personnel assigned to this contract.

(e) Unless exempted by the Procuring Contracting Officer in writing, all unclassified written communication after contract award shall be transmitted electronically.

[End of Clause]

26	52.211-4008	DRAWING LIMITATIONS	NOV/2002
	(TACOM)		

(a) The drawings supplied with this contract are not shop or process drawings. They are engineering design drawings. They are adequate to permit manufacture, and:

- (1) depict the completed (item(s), and
- (2) serve as the basis for inspection of the completed item(s).
- (b) These drawings DON'T cover intermediate drawings/specifications or steps in the manufacturing process. As a result, even if you meet all the dimensions and tolerances specified in the engineering design drawing for each individual part, a cumulative

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0276 MOD/AMD	Page 22 of 29
Name of Offeror or Contractor: AM GENERAL LLC		

unacceptable fit for the contract item could result.

(c) YOU ARE RESPONSIBLE for producing the shop or process drawings needed to cover intermediate steps in the manufacturing process.

(d) The Contractor agrees that he has obtained all specifications and drawings necessary to manufacture the items being solicited in accordance with the TDP including all incorporated specifications and drawings. The contractor is responsible for having all drawings and specifications. Delivery delays are not excusable where the contractor asserts that it did not have a specification or drawing and has failed to request, in writing, the specification from either the Contracting Officer or Contract Specialist prior to the solicitation closing date.

(e) If you fail to produce an end item with a cumulative fit that conforms to Government drawings, specifications or other supplemental manufacturing documentation, you'll be responsible for correcting this condition at no additional cost to the Government and no delivery schedule extension.

[End of Clause]

27 52.211-4016 TT-C-490, TYPE I, ZINC PHOSPHATE PRETREATMENT SYSTEMS FOR CARC OCT/2002
(TACOM)

(a) If the technical data package requires the use of a TT-C-490, Type I, pretreatment system, the process including primer application must be approved by the procuring activity prior to use. All approved facilities have been provided a letter of system approval which identifies the specific phosphate chemical system and the limitations/exceptions authorized. These approval letters must be dated no later than January 1989. Letters of approval which do not identify the chemical system are limited to approval on a specific contract only and do not have carte blanc approval. Approvals are substrate specific. The default qualification is low carbon steel. Heat treated, low alloy steel and galvanized steels require special qualification.

(b) Any zinc phosphate application facility requesting approval must submit the procedure to TACOM, ATTN: AMSTA-TR-E/267 for review at least 35 days before planned start-up. The procedure must identify the prime contractor and the contract number. The procedure must contain all the elements required per paragraph 3.2 of TT-C-490. A qualification audit will be arranged with the facility. The facility must demonstrate its ability to perform all required process control tests and operate successfully within its designated operating parameters.

(c) If the contractor cannot find a capable facility within his area, a list of TACOM approved facilities is available at <http://contracting.tacom.army.mil/engr/eng.htm> . These facilities are capable of meeting the performance requirements in the specification.

(d) For all TT-C-490, Type I facilities, the sentence "Sampling may then be reduced to one sample twice per week" in paragraph 4.2.8 of TT-C-490 is deleted and replaced with the following " Sampling for production control is required with the testing of two phosphated and primed specimens per month for each solvent-borne primer used and two specimens every two months for electrocoat primers".

[End of Clause]

28 52.211-4021 WELDING SYMBOLS - CLARIFICATION OF GROOVE WELDING SYMBOL APR/1995
(TACOM)

You must interpret welding symbols in accordance with AWS A2.4, except in the case of groove welds. In the case of groove welds, if the drawing doesn't specify an effective throat and/or weld size, interpret the dimension to the left of the groove welding symbol to mean both depth of preparation and effective throat/weld size.

[End of Clause]

29 52.211-4030 SPECIAL TESTING REQUIREMENTS FOR CHEMICAL AGENT RESISTANT COATINGS MAR/2001
(TACOM) (CARC) ON METALLIC SURFACES

(a) Application: MIL-C-46168
MIL-C-53039
MIL-PRF-22750

(b) End-Item Paint Inspection: After the complete paint finish has been applied and cured* (See *Note, below), the Contractor shall test and inspect two units per lot for (i) workmanship, (ii) total paint film thickness, and (iii) paint adhesion. Unless

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0276 MOD/AMD	Page 23 of 29
Name of Offeror or Contractor: AM GENERAL LLC		

otherwise agreed to between the Contractor and the cognizant Government quality assurance representative, a lot shall be defined as all units submitted for final Government acceptance at one time. The use of test panels in lieu of actual production units is prohibited. At final inspection, the cumulative total paint film thickness of pretreatment, primer, and topcoat shall at a minimum conform to the sum of the minimum thicknesses for individual elements of the paint finish as specified in the Film Thickness Table below. Sufficient locations shall be spot-checked to ensure proper workmanship and paint thickness uniformity. The size and configuration of the unit as well as the number of vendors responsible for the paint finish of component parts shall be taken into consideration in determining the number of locations to be checked. The specific number of test locations shall be agreed to by the cognizant Government quality assurance representative in advance. In addition, two locations on each sample unit shall be selected to conduct the scribe tape test. The test locations shall be routinely varied among the following:

- (1) Directly adjacent to a weld
- (2) On or directly adjacent to a machine cut or sheared edge.
- (3) On any mechanically formed surface when lubricants/drawing compounds were used.
- (4) On paint touch-up areas.

(c) The precise location for each scribe tape test shall be in an inconspicuous location that has been accepted by the cognizant Government quality assurance representative before the test is conducted.

(d) Upon completion of the scribe tape test, the scribe marks shall be feathered into the adjacent area and touched up with the required top coat so that the tested area again conforms to the applicable minimum specified in the Film Thickness Table below.

*Note: The complete paint finish is defined as the pretreatment, primer, and topcoat applied to the substrate. Curing of the complete paint finish is dependent upon temperature, humidity, and paint film thickness. The time necessary to achieve sufficient adhesion to pass the scribe tape test must be determined by each facility. For purposes of this test, curing at ambient temperature will take from 24 days.

(e) Test Methods:

(1) Film Thickness. Film thickness shall be verified with a nondestructive film gage. The gage shall be suitable for measurements over the applicable substrate material and shall have sufficient accuracy to ensure compliance to the thickness limitations. The gage shall be capable of being calibrated. If no other calibration specification or requirement is identified elsewhere in this contract, then the gage shall be calibrated in accordance with ISO 10012.

(2) Scribe Tape Test. The following test procedure shall be followed. The test surface shall be sufficiently warm and dry to ensure adhesion of the tape. All dimensions cited in this Scribe Tape Test description are approximate:

- (i) Scribe four one-inch lines completely through the paint finish to the substrate, one sixteenth to three thirty-seconds of an inch apart.
- (ii) Scribe four additional one-inch lines, completely through the paint finish, one sixteenth to three thirty-seconds of an inch apart, rotated 90 degrees with respect to the first set of lines. The resulting pattern shall contain nine squares.
- (iii) Press a length of A-A-1830, A-A-884, or any commercially available tape with a minimum adhesion rating of 45 oz. per inch of width firmly over the scribed pattern, rubbing out all air pockets.
- (iv) Wait 10 seconds, minimum. Grasp a free end of the tape and at a rapid speed strip it from the paint surface by pulling the tape back upon itself at 180 degrees.

(f) Interpretation of Test Results

NOTE: These two tests are not a substitute for corrosion tests such as neutral salt spray or accelerated corrosion tests which verify coating durability.

(1) Film Thickness. All applicable surfaces shall have complete paint coverage. A minimum of 75% of the applicable surfaces of each test unit shall meet the minimum, cumulative dry film thickness requirements. Failure of either test unit shall result in rejection of the production lot that it represents.

FILM THICKNESS TABLE

SPECIFICATION	DRY FILM THICKNESS (Mils)
DOD-P-15328*	0.3 - 0.5
MIL-PRF-23377	1.0 - 1.5

CONTINUATION SHEET	Reference No. of Document Being Continued		Page 24 of 29
	PIIN/SIIN	MOD/AMD	

Name of Offeror or Contractor: AM GENERAL LLC

MIL-P-53022	1.0 - 1.5
MIL-PRF-22750	1.3 - 1.7
MIL-P-53030	1.0 - 1.5
MIL-C-46168	1.8 - 3.2
MIL-C-53039	1.8 - 3.2

*May not be allowed per contract due to VOC and hexavalent chromium content.

(2) Scribe Tape Test (Adhesion). The removal of two or more complete squares of top coat, or top coat-primer-pretreatment coating, from either test unit constitutes test failure and the production lot from which it comes is rejected. Removal of overspray does not constitute test failure.

Notice: The scribe tape test is designed to detect any deficiency in the paint application process that would affect the durability of the CARC finish. Typical causes of failure are:

- (i) Inadequate cleaning of the substrate.
- (ii) Contamination of the surface between coatings.
- (iii) Excessive paint film thickness in a single coating application.
- (iv) Application of a coating over a previous coating which has not been adequately cured.

It is strongly recommended that the Contractor implement rigid in-process controls in conjunction with the best industrial painting practices to ensure that the performance requirements specified in this clause are met.

[End of Clause]

30 52.211-4036 FORMAT OF THE TECHNICAL DATA PACKAGE APR/2000
(TACOM)

(a) The TDP for the contract item is available only in electronic format via the TACOM Contracting Webpage (contracting.tacom.army.mil). TACOM-Warren has discontinued its practice of providing hard copies (i.e. CD ROM) of technical data packages (TDPs). You must obtain a copy of the TDP for this solicitation via the TACOM Contracting Webpage. For those TDPs not available via the webpage, the TDP will be issued free of charge in CD-ROM format. The CD-ROM includes the necessary software to access, view, and print individual images that are included in the TDP. The CD-ROM can be read in any personal computer that includes a CD-ROM drive. If your company does not have a personal computer with a CD-ROM drive, you can take the CD-ROM disk to any of various commercial computing or copying/printing service, to have hard copies produced.

(b) TDPs available via the TACOM Contracting Webpage may be purchased in CD ROM format for a fee of \$4.60 each. Requests for CD ROMs and payment should be mailed to:

USATACOM
AMSTA-CM-CDD (TDP Requests)
Warren, MI 48397-5000

Make checks payable to the United States Treasury. Points of Contact for this initiative: Gerri Mackey and Diane Woods at (586) 574-7061, and Gloria McCullough at (586) 574-7064.

[End of Provision]

31 52.211-4047 NOTICE TO OFFERORS INTENDING TO OFFER OTHER THAN NEW MATERIAL APR/2000
(TACOM) (NEGOTIATED)

(a) We intend to acquire only new material. Unless this contract otherwise requires virgin material or supplies composed of, or manufactured from, virgin material, the contractor shall provide supplies that are new, as defined in this clause.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0276 MOD/AMD	Page 25 of 29
Name of Offeror or Contractor: AM GENERAL LLC		

(b) Definitions:

- (1) "New" means composed of previously unused components, whether manufactured from virgin material, recovered material in the form of raw material, or materials and by-products generated from, and reused within, an original manufacturing process; provided that the supplies meet contract requirements, including but not limited to, performance, reliability, and life expectancy.
- (2) "Reconditioned" means restored to the original normal operating condition by readjustments and material replacement.
- (3) "Recovered material" means waste materials and by-products that have been recovered or diverted from solid waste including post-consumer material, but such term does not include those materials and by-products generated from, and commonly reused within, an original manufacturing process.
- (4) "Remanufactured" means factory rebuilt to original specifications.
- (5) "Virgin material" means previously unused raw material, including previously unused copper, aluminum, lead, zinc, iron, other metal or metal ore, or any undeveloped resource that is, or with new technology will become, a source of raw materials
- (6) "Residual Inventory" means inventory from a transferred or terminated Government or commercial contract.
- (c) Used, reconditioned, remanufactured supplies, unused former Government surplus property, or residual inventory shall not be used unless the contractor has proposed the use of such supplies, and the Contracting Officer has authorized their use.
- (d) Offers to provide other than new material shall be submitted to the Contracting Officer for approval:
 - (7) A proposal to provide unused former Government surplus property shall include a complete description of the material, the quantity, the name of the Government agency from which acquired, and the date of acquisition.
 - (8) A proposal to provide used, reconditioned, or remanufactured supplies shall include a detailed description of such supplies.
 - (9) A proposal to provide residual inventory shall include the Government or commercial contract number of the terminated contract and the name of the original contractor.
- (e) If the use of used, reconditioned, remanufactured items, unused former Government surplus property, or residual inventory are approved by the Contracting Officer, we may require you to meet specific marking, inspection, and testing requirements beyond those found in this solicitation. We will negotiate these additional requirements with you before award and put them in any resulting contract.

[End of Clause]

32	52.211-4052 (TACOM)	SOURCE NOTES ON DRAWINGS: CONFORMANCE TO MILITARY TECHNICAL DATA REQUIREMENTS	JAN/1984
----	------------------------	---	----------

Notwithstanding the fact that ordnance drawings furnished with this solicitation may list particular manufacturer part numbers as approved sources, or as being the same as, or equivalent to, the ordnance part described on the drawing, the item to be supplied under this solicitation must conform to all specific technical requirements expressed on such drawing(s). To the extent that there may be any inconsistency between a manufacturer's part number and specific technical requirements expressed on an ordnance drawing which references the manufacturer's part number, the specific technical requirements shall control and take precedence. Offerors shall bear the responsibility of verifying that the approved part as supplied will conform with all such specific technical requirements.

[End of Provision]

33	52.211-4069 (TACOM)	WELDING INSPECTION REQUIREMENTS	MAR/2001
----	------------------------	---------------------------------	----------

- (a) INSPECTION: As the contractor, during performance of this contract you will verify weld quality and workmanship using qualified inspectors trained to perform these inspection functions. Acceptable qualification of your inspectors may be based on:
 - (1) current or previous certification as an AWS Certified Welding Inspector; or
 - (2) current or previous certification by the Canadian Welding Bureau (CWB); or
 - (3) inspection performed by an engineer or technician who is competent in the use of weld inspection techniques and

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0276 MOD/AMD	Page 26 of 29
Name of Offeror or Contractor: AM GENERAL LLC		

equipment, on the basis of (i) formal training or (ii) experience, or both, in metals fabrication, inspection, and testing.

(b) NON BALLISTIC VISUAL INSPECTION. You will perform all non-ballistic visual inspections of weld quality and workmanship for structural steel in accordance with Section 6 of AWS D1.1-96. For structural aluminum, you may perform non-ballistic visual inspections of weld quality and workmanship using the guidelines given in MIL-STD-370A, dated 21 Sep 93.

(c) BALLISTIC VISUAL INSPECTION. You will perform all ballistic visual inspections in accordance with section 6 of the UDLP/TACOM Ground Combat Vehicle Code--Aluminum, dated July 1996. Copies of this document can be obtained by written request to:

Commander, US Army Tank-automotive and Armaments Command
ATTN: AMSTA-TR-E/Materials
Warren, MI 48397-5000

[End of Clause]

34 52.215-4404 DATA AND COMMUNICATIONS SUBMITTED TO THE GOVERNMENT ELECTRONICALLY MAY/2002
(TACOM)

(a) The Government often employs contractors as system administrators to operate and maintain Government computer systems. These systems include local area networks, web sites, databases, other electronic records, e-mail accounts, other electronic data transfer mechanisms and computer software. The employees of these contracted system administrators sign nondisclosure agreements obligating them not to reveal information contained in files, documents, computers or systems that they administer. However, unless such information is protected in some way, contracted system administrators do have the ability to access such information.

(b) Potential contractors as well as any other parties are thus advised to take steps needed to prevent access by contracted system administrators to information submitted electronically to the Government. Absent such steps, it is assumed that contracted system administrators are permitted the capability to access the data. The access will be limited to that which is necessary for the contract system administrator to perform its duties for the Government. The access shall be subject to the condition that third party information is not to be revealed by the contracted system administrator.

[End of Clause]

35 52.246-4019 VISUAL INSPECTION CRITERIA FOR STEEL WELDMENTS MAR/2001
(TACOM)

(a) Application: MIL-STD-1261

(b) Scope:

(1) These criteria supplement paragraph 4.3 of MIL-STD-1261 and supersede paragraph 6.3.1.5 of MIL-W-46086 and paragraph 5.9.1.5 of MIL-STD-1941. AWS A3.0 shall be used to define all other welding terms not defined herein.

(2) The limits established below represent the maximum discontinuities allowable for visual inspection of workmanship specimens and production steel weldments. (Note: Workmanship specimens which require cross-sectioning must also be evaluated for subsurface quality; these criteria are not contained herein.) Any discontinuity exceeding this limit is classified as defective and must be reworked or repaired dependent upon the nature and extent of the discontinuity. Weldments requiring subsurface weld inspection should be evaluated in accordance with the acceptance standard specified on the drawing in addition to these requirements.

(c) Discontinuities:

(1) Cracks - A weld crack is defined as a linear rupture resulting from excessive localized stress. Cracks can occur in the weld metal, fusion zone or heat affected zone. No cracks are allowed

(2) Porosity - Porosity is defined as a rounded cavity free of solid material resulting from gas entrapment during solidification.

(i) Maximum pore size shall be 1/16 inch.

(ii) There shall be no more than six pores for any twelve inch length of weld. For small weldments with continuous welds less than twelve inches in length, they shall have proportionately fewer pores allowed (example: three pores maximum for six inch length of weld).

(3) Overlap - Overlap is defined as a protrusion of weld metal beyond the bond at the toe of the weld.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0276 MOD/AMD	Page 27 of 29
Name of Offeror or Contractor: AM GENERAL LLC		

(i) A radiused tie-in must exist with the parent metal.

(ii) The overlap condition must not exceed 10% of the total weld length.

(4) Slag Inclusion - Slag inclusion is defined as a non-metallic solid material entrapped in or on the weld metal or between the weld metal and base metal. This discontinuity is applicable to SMA and FCAW processes. No slag inclusions are allowed.

(5) Undercut - Undercut is defined as a groove melted into the base material adjacent to the toe of the weld and left unfilled by weld metal.

(i) For base materials .25 inch and less in thickness, no undercutting is permitted.

(ii) For base materials greater than .25 inch thickness:

(A) The maximum depth of undercut shall be 1/32 inch.

(B) The undercut must have a width not less than twice the depth.

(C) The length of undercut shall not exceed two inches cumulative in any continuous 24 inch length of weld. For continuous welds less than 24 inches in length, the maximum cumulative length shall be in direct proportion to this limit or one inch, whichever is greater. (For example: for an eight inch continuous length of weld, maximum cumulative allowable undercut length is one inch).

(d) Weld Size:

(1) Fillet Welds:

(i) Fillet welds shall be measured using fillet weld gages.

(ii) For welds one-fourth inch and less, the weld size is the minimum as specified on the drawing symbol.

(iii) For fillet welds larger than one-fourth inch, the weld may be undersize by 1/16 inch for a maximum length of 10% of the continuous weld length.

(2) Groove Welds: No underfill is allowed.

[End of Clause]

36	52.246-4025 (TACOM)	HIGHER-LEVEL CONTRACT QUALITY REQUIREMENT -- TACOM QUALITY SYSTEM REQUIREMENT	MAR/2000
----	------------------------	---	----------

(a) This solicitation will result in a purchase order that will require the contractor to use a quality-assurance system to ensure the quality of the purchased items.

(b) To allow TACOM to analyze your proposed quality system, especially if that system is not based on a national or international standard, you must identify your system as part of your response to this solicitation. Paragraph f (below) asks you to identify what quality-assurance system you will use.

(1) If you indicate that your quality system conforms to one of the ISO 9000-series standards, or to QS 9000, or to ANSI/ASQ 9001 or 9002, this is a sufficient description: you need not further describe your quality system in your response to the solicitation.

(2) If your quality system does not conform to any of the standards listed in (b)(1) immediately above, then in addition to identifying the name of the quality system you intend to use, you also must provide a description of your proposed system, in enough detail to let us assess its suitability for use in performing the resulting order. This is of particular importance if your proposed system is unique, using quality control methods and techniques that your company has developed in-house. (Note, however, that if the quality system you intend to use is one that conforms to MIL-Q-9858, MIL-I-45208, or another comparable military specification or standard, you don't need to send us a copy of the standard: just identify which standard you intend to use).

(3) If you provide a description of your quality system, make sure that your description covers how your system:
--achieves defect prevention, and
--provides process control, and
--ensures adequate quality controls throughout all areas of performance.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0276 MOD/AMD	Page 28 of 29
---------------------------	---	----------------------

Name of Offeror or Contractor: AM GENERAL LLC

If some of the features of your system are described in other forms (brochures, for example, or articles), you may attach a copy of such items to your response to this solicitation. If your system is described in a textbook or publication that is available from a commercial or academic distributor, include a reference to the publication by author, title, copyright date, and publisher in your system description. You need not physically attach a copy of a textbook to your offer.

(c) If you already described your quality system as an attachment to another TACOM solicitation within the previous 90 days, you can either send us another copy, or simply identify the number of the previous solicitation.

(d) If you do not provide us a description of your quality system, or if the description you send does not show all of the required features as stated in paragraph (b) above, your offer may be ineligible for award.

(e) As the contractor, you shall implement and maintain a quality system that ensures the functional and physical conformity of all products or services you furnish under this contract. Your quality system shall achieve (i) defect prevention and (ii) process control, providing adequate quality controls throughout all areas of performance.

(f) Your quality system may be based on (i) international quality standards such as the ISO 9000 series, or (ii) military, or (iii) commercial, or (iv) national quality standards. You represent that your performance under this contract will be in accordance with your quality system, which is in compliance with:

- ☐ ISO 9001
- ☐ ISO 9002
- ☐ QS 9000
- ☐ ANSI/ASQ Q9001
- ☐ ANSI/ASQ Q9001
- ☐ Other, specifically _____

(Note: if you check the other block because you intend to use an in-house quality system, or one based on a commercial, national, or international system not identified above, then in addition to identifying your proposed system in the space above, to the right of the word other, you must attach a description of this system to your offer in response to the solicitation, so that we can assess its suitability. If you receive an award, your proposed system will be required.)

(g) Certification of compliance or registration of the quality system you identify above, by an independent standards organization or auditor, does not need to be furnished to us under this contract. However, you may attach a copy of such certification with your offer in response to the solicitation, as proof of system compliance.

(h) At any point during performance, we have the right to review your quality system to assess its effectiveness in meeting requirements.

[End of Clause]

37 52.246-4026 LOCAL ADDRESS FOR DD FORM 250 MAR/2002
 (TACOM)

(a) The contractor must provide a copy of each Material Inspection and Receiving Report (DD 250) pertaining to this contract, to the addresses given below, using either of the following methods:

- (1) Our first preference is for you to use electronic mail (e-mail), using the following e-mail address:

DD250@tacom.army.mil
- (2) Our second preference is for you to use data facsimile (datafax) transmission, using this fax number:

(586) 574-7552 and use "DD250 mailbox" in the "to:" block of your fax cover or header sheet.

In either method, do not mix DD250s from more than one contract in a single transmmission. That is, you may submit multiple DD250s in a single transmission, but they must all be against the same contract.

(b) These copies meet the requirements for the Purchasing Office copy and the Army Inventory Control Manager copy listed in tables 1 and 2 of DFARS Appendix F.

(c) The DD250 form may be found, in three different formats, on the World Wide Web at <http://webl.whs.osd.mil/icdhome/DD-0999.htm>

[End of Clause]

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-P-0276 MOD/AMD	Page 29 of 29
Name of Offeror or Contractor: AM GENERAL LLC		

38

52.247-4016

HEAT TREATMENT AND MARKING OF WOOD PACKAGING MATERIALS

JUL/2002

(TACOM)

ALL NON-MANUFACTURED WOOD USED IN PACKAGING SHALL BE HEAT TREATED TO A CORE TEMPERATURE OF 56 DEGREES CELSIUS FOR A MINIMUM OF 30 MINUTES. THE BOX/PALLET MANUFACTURER AND THE MANUFACTURER OF WOOD USED AS INNER PACKAGING SHALL BE AFFILIATED WITH AN INSPECTION AGENCY ACCREDITED BY THE BOARD OF REVIEW OF THE AMERICAN LUMBER STANDARD COMMITTEE. THE BOX/PALLET MANUFACTURER AND THE MANUFACTURER OF WOOD USED AS INNER PACKAGING SHALL ENSURE TRACEABILITY TO THE ORIGINAL SOURCE OF HEAT TREATMENT. EACH BOX/PALLET SHALL BE MARKED TO SHOW THE CONFORMANCE TO THE INTERNATIONAL PLANT PROTECTION CONVENTION STANDARD. BOXES/PALLETS AND ANY WOOD USED AS INNER PACKAGING MADE OF NON-MANUFACTURED WOOD SHALL BE HEAT TREATED. THE QUALITY MARK SHALL BE PLACED ON BOTH ENDS OF THE OUTER PACKAGING, BETWEEN THE END CLEATS OR END BATTENS; ON TWO SIDES OF THE PALLET.

[End of Clause]